

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7251	(707/1).CCLS	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/05 11:36
L2	12307	(707/3).CCLS	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/05 11:36
L3	4557	(707/5).CCLS	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/05 11:36
L4	3248	(703/2).CCLS	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/05 11:36
L5	658	(703/7).CCLS	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/05 11:36
L6	1469	(703/13).CCLS	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/05 11:36
L7	26681	L1 or L2 or L3 or L4 or L5 or L6	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/05 11:37
L8	2565	simulat\$6 same printing same (job or process or model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:37
L9	35	L7 and L8	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/05 11:37
L10	602	simulat\$6 same (printing adj (job or process or model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:37
L11	28	L10 and ((graphical adj user adj interface) or GUI)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:37
L12	1	L7 and L11	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/05 11:37
L13	3	L10 and (selection adj criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:37
L14	27	L11 not L13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:37

L15	1	L7 and L14	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/05 11:37
L16	764	(printing near3 device near3 configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:37
L17	4	L7 and L16	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/05 11:37
L18	1351	(computerized near3 model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:37
L19	53	L7 and L18	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/05 11:37
L20	697	L18 and configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:37
L21	32	L7 and L20	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/05 11:37
L22	1351	L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:38
L23	367	INCONTROL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:39
L24	0	L7 and L23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:39
L25	1263	((((test or default) near3 input) and selected and (used or applied or (run near3 through) or (ran near3 through)) and ((assembly near3 line) or (process near3 flow))) and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:39

L26	71	L7 and L25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:39
S1	2	"5465288".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 11:38
S2	2	"6144849".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 16:42
S3	1867	simulat\$6 same printing same (job or process or model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 11:38
S4	442	simulat\$6 same (printing adj (job or process or model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 11:39
S5	2	S4 and (selection adj criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 11:39
S6	11	S4 and ((graphical adj user adj interface) or GUI)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 11:43
S7	10	S6 not S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 11:40
S8	2	("0000703").FN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 11:43
S9	750	(703/1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 11:43

S10	9208	("703").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 11:43
S11	39	S10 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 11:48
S12	1	S3 and (enterprise adj dynamics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 11:48
S13	19	(enterprise adj dynamics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 11:55
S14	26	(print\$4 near3 configuration) same simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 12:20
S15	28	plac\$4 near3 print\$3 near3 device\$1 near3 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 12:22
S16	2	"6108662".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 12:38
S17	66	simulat\$4 near3 (printing adj presses)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 12:41
S18	0	graphical near3 (print \$3 adj press\$4) near3 configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 12:56
S19	0	(enterprise near3 managment) and (printing near3 device near3 configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 12:59

S20	385	(printing near3 device near3 configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 12:59
S21	10	S20 and (order adj sets)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 13:01
S22	2	(process adj data adj set) same (order\$3 adj data adj set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 13:03
S23	170	(simulated near3 process near3 flows)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 13:06
S24	10	S23 and (printing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 13:08
S25	17	S23 and graphics	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 13:08
S26	11	S25 not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 13:11
S27	2	simulat\$5 same process same flow\$1 same graphic\$1 same industry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 13:11
S28	440	link same print\$4 same job same data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 13:12
S29	41	S28 and simulat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 13:16

S30	274	network same configuration same simulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 13:16
S31	2	S30 and (drag near3 drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:15
S32	2	(computerized near3 model) and (printing near3 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 13:23
S34	837	(computerized near3 model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 13:24
S35	0	S34 and (printing near3 plants)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 13:24
S36	400	S34 and configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 13:25
S37	14	S36 and (drag near3 drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 13:27
S38	24	(virtual or simulat\$5) near3 (assembly adj line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 13:46
S39	1	"6983232".pn. and (print\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 15:48
S40	2	"6983232".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:16

S41	0	"6983232".pn. and (attribute same size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:17
S42	0	"6983232".pn. and (attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:17
S43	0	"6983232".pn. and (propert\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:17
S44	0	"6983232".pn. and (feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:17
S45	180	GUI same (size near3 object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:18
S46	7	GUI same (size near3 object) same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:19
S47	0	S46 same simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:18
S48	1	S46 and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:18
S49	19	enterprise adj dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:21
S50	350	INCONTROL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:21

S51	5	S50 and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:22
S52	2	"6983232".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:14
S53	0	"6983232".pn. and (input\$5 same library)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 09:11
S54	1	"6983232".pn. and (input\$5 same database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 09:12
S55	1	"6983232".pn. and (input\$5 same database) and ((default near3 data same (base near3 case))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 09:14
S56	1	"6983232".pn. and (input\$5 same database) and (default near3 data) and (base near3 case)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 09:40
S57	2	"20040117399".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:22
S58	0	"20040117399".pn. and spreadsheet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 09:53
S59	0	"20040117399".pn. and (measure near3 performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 09:53
S60	1	"6983232".pn. and (measure near3 performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 14:14

S61	1	"6983232".pn. and (measure near3 performance) and (customer near3 needs)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 09:59
S62	1	((printing adj jobs) near3 input) same (print\$5 near3 simulation)) and (printing press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:00
S63	4	((printing adj jobs) near3 input) and (print \$5 near3 simulation)) and (printing press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:00
S64	0	"6983232".pn. and (test near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:14
S65	1	"6983232".pn. and (test same data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:40
S66	2	"20040117399".pn. and ((input or test or default) near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 11:33
S67	1	"20010034592".pn. and ((input or test or default) near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 11:29
S68	1	"20010034592".pn. and ((input or test or default) same data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:17
S69	0	"20010034592".pn. and ((input or test or default) same data) and (print near3 operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:17
S70	1	"20010034592".pn. and ((input or test or default) same data) and (print near3 job)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:20

S71	1	"20010034592".pn. and ((input or test or default) same data) and (print near3 job) and (print near3 job near3 generator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:21
S72	0	"20010034592".pn. and ((input or test or default) same data) and (print near3 job) and (print near3 job near3 generator) and (simulat\$ near3 print near3 (job or cycle or test))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:21
S73	0	"20040117399".pn. and (best near3 link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:23
S74	1	"20040117399".pn. and (best same link\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:23
S75	1	"20040117399".pn. and (best same link\$6) and (link\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 14:41
S76	9	link same (print\$4 near3 (test or input or job or cycle)) same (machine near3 object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:27
S77	0	S76 and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:26
S78	0	((test or default) near3 input) same selected same (used or applied or (run near3 through) or (ran near3 through)) same (assembly near3 line) or (process near3 flow))) and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:28

S79	769	((test or default near3 input) and selected and (used or applied or (run near3 through) or (ran near3 through)) and ((assembly near3 line) or (process near3 flow))) and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:29
S80	0	S79 and ((printing adj press) or (graphics adj industry))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:29
S81	95	S79 and ((print\$5 near3 press))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:30
S82	94	S81 and (graphical near3 user near3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:32
S83	0	S81 and ((graphical near3 user near3 interface) and (drag near3 drop))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:30
S84	0	(salesman or consultant) same ((print near3 press) same simulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:32
S85	0	(salesman or consultant) and ((print near3 press) same simulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:32
S86	0	(salesman or consultant) and (print near3 press) and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:33
S87	7	(salesman or consultant) and (print \$4 near3 press) and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:33

S88	0	"6983232".pn. and (ranking same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:40
S89	1	"6983232".pn. and ((rank\$5 or compar\$5) same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:42
S90	3	link\$4 same (process near3 data near3 set) same (order near3 data near3 set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:47
S91	3	(configur\$5 near3 (print \$5 adj device)) same simulat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:49
S92	0	(print near3 job) same (print\$5 near3 (press or device or machine or object or plant)) same (simulat\$6 near3 scenario)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:50
S93	0	(print near3 job) and (print\$5 near3 (press or device or machine or object or plant)) and (simulat\$6 near3 scenario)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:50
S94	85	(print\$5 near3 (press or device or machine or object or plant)) and (simulat\$6 near3 scenario)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:58
S95	22	S94 and (graphical near3 user near3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:57
S96	1	S95 and (drag near3 drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:51

S97	22	S94 and (graphical near3 user near3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:57
S98	0	S97 not S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:57
S99	3	(print\$5 near3 (press)) and (simulat\$6 near3 scenario)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 11:01
S100	2	"6108662".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 11:15
S101	0	"6108662".pn. and simulation and (GUI or (graphical near3 user near3 interface)) and (input same library)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 11:15
S102	1	"6108662".pn. and simulation and (GUI or (graphical near3 user near3 interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 11:17
S103	0	"6108662".pn. and S95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 11:18
S104	0	"20010034592".pn. and (rank\$5 near3 results)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 11:30
S105	0	"20010034592".pn. and (rank\$5 same results)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 11:30
S106	0	"20010034592".pn. and rank\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 16:25

S107	0	"20010034592".pn. and (compare near3 results)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 11:32
S108	1	"20040117399".pn. and (create near3 process near3 flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 11:35
S109	1	"20040117399".pn. and (create near3 process near3 flow) and (create same process same flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 13:59
S112	1	"6983232".pn. and (calculate or function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 14:59
S113	2	"20040117399".pn. and (link\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 14:59
S114	2	"20040117399".pn. and (process adj flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 14:59
S115	1	"6983232".pn. and (process adj flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:00
S116	1	"6983232".pn. and (process same flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:00
S117	1	"20010034592".pn. and input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 16:25
S118	1	"20010034592".pn. and input\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 16:40

S119	2	"20010034592".pn. and (size or dimension or area or mass or measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 16:40
S120	1	"6108662".pn. and (size or dimension or area or mass or measur \$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 16:41
S121	1	"6144849".pn. and (size or dimension or area or mass or measur \$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 16:42
S122	1	"6983232".pn. and (size or dimension or area or mass or measur \$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 16:43
S123	25	simulation same (size or dimension or area or mass or measur\$5) same (machine or object) same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 17:18
S124	2	"6983232".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 17:18
S125	1	"6983232".pn. and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 17:35
S126	4252	(test near3 data) same (simulat\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 17:35
S127	56	S126 same (graphics or (print\$4 near3 industry) or (print\$4 near3 press))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 17:36
S128	2	"20010034596".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 13:52

S129	0	"20010034596".pn. and (view\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 14:11
S130	18483	(size near3 dimensions) same associated same printing press same interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 14:12
S134	0	(size near3 dimensions) same associated same (printing near3 press) same interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 14:12
S135	0	(size near3 dimensions) same associated and (printing near3 press) same interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 14:12
S136	16	(size near3 dimensions) same associated and (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 14:13
S137	16	((size near3 dimensions) same associated) and (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 14:56
S138	3	((size near3 dimensions) same associated) and (printing near3 press) and interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 14:13
S139	5	((size near3 dimensions) same associated) same (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 14:14
S140	4	(simulation near3 object) same label\$4 same (size or dimensions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 14:14
S141	2472	dimensions same minimum same required same machine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 14:57

S142	9	S141 same (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 14:58
S143	9	display same dimensions same object same simulat\$3 same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:01
S144	1	(spatial near3 dimensions) same (object or machine or (printing near3 press)) same simulat\$3 same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:02
S145	13	(spatial near3 dimensions) same (object or machine or (printing near3 press)) same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:05
S146	44	(assembly near3 line) near3 simulat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:05
S147	0	S146 and (spatial near3 dimensions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:37
S148	25	(spatial near3 dimensions) same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:07
S149	9	(spatial near3 dimensions) and (room near3 (design or arrangement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:08
S150	91	(associated near3 (dimensions or measurements or (spatial adj dimensions))) and (printing adj press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:10

S151	4	(associated near3 (dimensions or measurements or (spatial adj dimensions))) same (printing adj press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:10
S152	16	(associated near3 (dimensions or measurements or (spatial adj dimensions))) and (printing adj press) and simulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:10
S153	15	S152 not S151	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:19
S154	0	"6983232".pn. and floorspace	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:19
S155	1	"6983232".pn. and area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:21
S156	0	floorpace same (used or (taken\$up) or consumed or utilized) same (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:22
S157	0	floorpace same (used or (taken\$up) or consumed or utilized) and (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:23
S158	94	floorpace same (used or (taken\$up) or consumed or utilized)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:24
S159	0	simulat\$4 and (room adj design) and (spatial near3 furniture)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:25

S160	9	(data near3 set) same contains same (spatial near3 dimensions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:26
S161	0	S160 and (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:25
S162	1	(spatial near3 dimensions) same graphic same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:38
S163	674	(size or measurements) same graphic same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:38
S164	227	S163 same (print\$4 or (printing adj press))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:39
S165	5	S163 same ((printing adj press))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:41
S166	34802	(printing adj press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:41
S167	655	S166 same (size near5 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:42
S168	7	S167 same (displayed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:44
S169	233	(drag near3 drop) same (graphic or object or machine or (printing adj press)) same (size or width or length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:56

S170	5	(drag near3 drop) same (graphic or object or machine or (printing adj press)) same (actual or real) near3 (size or width or length))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:57
S171	14	retrieve same machine same dimensions same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 16:01
S172	262	machine same dimensions same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 16:31
S173	2	"20030018542".pn. and (specification near3 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 16:49
S174	0	(compare near3 test near3 data) same (machine near3 object) same rank same assign	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 17:24
S175	0	"20040117399".pn. and means	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 17:24
S176	1	"6983232".pn. and ((cost or expense) same time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 10:20
S177	2	"5465288".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
S178	2	"6144849".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07

S179	2	"5465288".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S180	2	"6144849".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S181	2565	simulat\$6 same printing same (job or process or model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S182	602	simulat\$6 same (printing adj (job or process or model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S183	3	S182 and (selection adj criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S184	28	S182 and ((graphical adj user adj interface) or GUI)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S185	27	S184 not S183	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S186	2	("0000703").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/05 10:27
S187	1442	(703/1).CCLS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/05 10:27
S188	15592	("703").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/05 10:27

S189	75	S188 and S181	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S190	1	S181 and (enterprise adj dynamics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S191	37	(enterprise adj dynamics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S192	51	(print\$4 near3 configuration) same simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S193	43	plac\$4 near3 print\$3 near3 device\$1 near3 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S194	2	"6108662".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S195	96	simulat\$4 near3 (printing adj presses)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S196	0	graphical near3 (print \$3 adj press\$4) near3 configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S197	0	(enterprise near3 managment) and (printing near3 device near3 configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S198	764	(printing near3 device near3 configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27

S199	17	S198 and (order adj sets)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S200	3	(process adj data adj set) same (order\$3 adj data adj set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S201	227	(simulated near3 process near3 flows)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S202	10	S201 and (printing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S203	33	S201 and graphics	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S204	27	S203 not S202	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S205	4	simulat\$5 same process same flow\$1 same graphic\$1 same industry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S206	705	link same print\$4 same job same data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S207	79	S206 and simulat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S208	493	network same configuration same simulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27

S209	13	S208 and (drag near3 drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S210	4	(computerized near3 model) and (printing near3 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S211	1351	(computerized near3 model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S212	0	S211 and (printing near3 plants)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S213	697	S211 and configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S214	30	S213 and (drag near3 drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S215	38	(virtual or simulat\$5) near3 (assembly adj line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S216	1	"6983232".pn. and (print\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S217	2	"6983232".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S218	0	"6983232".pn. and (attribute same size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27

S219	0	"6983232".pn. and (attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S220	0	"6983232".pn. and (propert\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S221	0	"6983232".pn. and (feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S222	285	GUI same (size near3 object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S223	10	GUI same (size near3 object) same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S224	0	S223 same simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S225	1	S223 and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S226	37	enterprise adj dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S227	367	INCONTROL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S228	8	S227 and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27

S229	2	"6983232".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S230	0	"6983232".pn. and (input\$5 same library)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S231	1	"6983232".pn. and (input\$5 same database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S232	1	"6983232".pn. and (input\$5 same database) and ((default near3 data) same (base near3 case))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S233	1	"6983232".pn. and (input\$5 same database) and (default near3 data) and (base near3 case)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S234	2	"20040117399".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S235	0	"20040117399".pn. and spreadsheet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S236	0	"20040117399".pn. and (measure near3 performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S237	1	"6983232".pn. and (measure near3 performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S238	1	"6983232".pn. and (measure near3 performance) and (customer near3 needs)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27

S239	1	((((printing adj jobs) near3 input) same (print\$5 near3 simulation)) and (printing press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S240	4	((((printing adj jobs) near3 input) and (print \$5 near3 simulation)) and (printing press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S241	0	"6983232".pn. and (test near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S242	1	"6983232".pn. and (test same data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S243	2	"20040117399".pn. and ((input or test or default) near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S244	1	"20010034592".pn. and ((input or test or default) near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S245	1	"20010034592".pn. and ((input or test or default) same data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S246	0	"20010034592".pn. and ((input or test or default) same data) and (print near3 operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S247	1	"20010034592".pn. and ((input or test or default) same data) and (print near3 job)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S248	1	"20010034592".pn. and ((input or test or default) same data) and (print near3 job) and (print near3 job near3 generator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27

S249	0	"20010034592".pn. and ((input or test or default) same data) and (print near3 job) and (print near3 job near3 generator) and (simulat\$ near3 print near3 (job or cycle or test))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S250	0	"20040117399".pn. and (best near3 link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S251	1	"20040117399".pn. and (best same link\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S252	1	"20040117399".pn. and (best same link\$6) and (link\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S253	9	link same (print\$4 near3 (test or input or job or cycle)) same (machine near3 object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S254	0	S253 and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S255	0	((test or default) near3 input) same selected same (used or applied or (run near3 through) or (ran near3 through)) same ((assembly near3 line) or (process near3 flow))) and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S256	1263	((test or default) near3 input) and selected and (used or applied or (run near3 through) or (ran near3 through)) and ((assembly near3 line) or (process near3 flow))) and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27

S257	1	S256 and ((printing adj press) or (graphics adj industry))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S258	180	S256 and ((print\$5 near3 press))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S259	177	S258 and (graphical near3 user near3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S260	0	S258 and ((graphical near3 user near3 interface) and (drag near3 drop))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S261	0	(salesman or consultant) same ((print near3 press) same simulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S262	0	(salesman or consultant) and ((print near3 press) same simulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S263	0	(salesman or consultant) and (print near3 press) and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S264	18	(salesman or consultant) and (print \$4 near3 press) and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S265	0	"6983232".pn. and (ranking same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S266	1	"6983232".pn. and ((rank\$5 or compar\$5) same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27

S267	3	link\$4 same (process near3 data near3 set) same (order near3 data near3 set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S268	3	(configur\$5 near3 (print \$5 adj device)) same simulat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S269	0	(print near3 job) same (print\$5 near3 (press or device or machine or object or plant)) same (simulat\$6 near3 scenario)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S270	0	(print near3 job) and (print\$5 near3 (press or device or machine or object or plant)) and (simulat\$6 near3 scenario)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S271	207	(print\$5 near3 (press or device or machine or object or plant)) and (simulat\$6 near3 scenario)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S272	69	S271 and (graphical near3 user near3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S273	13	S272 and (drag near3 drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S274	69	S271 and (graphical near3 user near3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S275	0	S274 not S271	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27

S276	3	(print\$5 near3 (press)) and (simulat\$6 near3 scenario)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S277	2	"6108662".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S278	0	"6108662".pn. and simulation and (GUI or (graphical near3 user near3 interface)) and (input same library)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S279	1	"6108662".pn. and simulation and (GUI or (graphical near3 user near3 interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S280	0	"6108662".pn. and S262	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S281	0	"20010034592".pn. and (rank\$5 near3 results)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S282	0	"20010034592".pn. and (rank\$5 same results)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S283	0	"20010034592".pn. and rank\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S284	0	"20010034592".pn. and (compare near3 results)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S285	1	"20040117399".pn. and (create near3 process near3 flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27

S286	1	"20040117399".pn. and (create near3 process near3 flow) and (create same process same flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S287	1	"6983232".pn. and (calculate or function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S288	2	"20040117399".pn. and (link\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S289	2	"20040117399".pn. and (process adj flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S290	1	"6983232".pn. and (process adj flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S291	1	"6983232".pn. and (process same flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S292	1	"20010034592".pn. and input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S293	1	"20010034592".pn. and input\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S294	2	"20010034592".pn. and (size or dimension or area or mass or measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S295	1	"6108662".pn. and (size or dimension or area or mass or measur \$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27

S296	1	"6144849".pn. and (size or dimension or area or mass or measur \$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S297	1	"6983232".pn. and (size or dimension or area or mass or measur \$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S298	31	simulation same (size or dimension or area or mass or measur\$5) same (machine or object) same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S299	2	"6983232".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S300	1	"6983232".pn. and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S301	6242	(test near3 data) same (simulat\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S302	95	S301 same (graphics or (print\$4 near3 industry) or (print\$4 near3 press))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S303	2	"20010034596".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S304	0	"20010034596".pn. and (view\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S305	30120	(size near3 dimensions) same associated same printing press same interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27

S306	0	(size near3 dimensions) same associated same (printing near3 press) same interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S307	0	(size near3 dimensions) same associated and (printing near3 press) same interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S308	31	(size near3 dimensions) same associated and (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S309	31	((size near3 dimensions) same associated) and (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S310	9	((size near3 dimensions) same associated) and (printing near3 press) and interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S311	5	((size near3 dimensions) same associated) same (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S312	4	(simulation near3 object) same label\$4 same (size or dimensions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S313	2571	dimensions same minimum same required same machine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S314	10	S313 same (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S315	24	display same dimensions same object same simulat\$3 same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27

S316	1	(spatial near3 dimensions) same (object or machine or (printing near3 press)) same simulat\$3 same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S317	21	(spatial near3 dimensions) same (object or machine or (printing near3 press)) same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S318	60	(assembly near3 line) near3 simulat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S319	0	S318 and (spatial near3 dimensions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S320	74	(spatial near3 dimensions) same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S321	12	(spatial near3 dimensions) and (room near3 (design or arrangement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S322	148	(associated near3 (dimensions or measurements or (spatial adj dimensions))) and (printing adj press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S323	7	(associated near3 (dimensions or measurements or (spatial adj dimensions))) same (printing adj press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S324	27	(associated near3 (dimensions or measurements or (spatial adj dimensions))) and (printing adj press) and simulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27

S325	26	S324 not S323	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S326	0	"6983232".pn. and floorspace	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S327	1	"6983232".pn. and area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S328	0	floor space same (used or (taken\$up) or consumed or utilized) same (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S329	0	floor space same (used or (taken\$up) or consumed or utilized) and (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S330	109	floor space same (used or (taken\$up) or consumed or utilized)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S331	0	simulat\$4 and (room adj design) and (spatial near3 furniture)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S332	33	(data near3 set) same contains same (spatial near3 dimensions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S333	14	S332 and (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S334	2	(spatial near3 dimensions) same graphic same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27

S335	1095	(size or measurements) same graphic same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S336	385	S335 same (print\$4 or (printing adj press))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S337	5	S335 same ((printing adj press))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S338	39883	(printing adj press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S339	745	S338 same (size near5 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S340	7	S339 same (displayed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S341	363	(drag near3 drop) same (graphic or object or machine or (printing adj press)) same (size or width or length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S342	10	(drag near3 drop) same (graphic or object or machine or (printing adj press)) same ((actual or real) near3 (size or width or length))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S343	38	retrieve same machine same dimensions same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27

S344	459	machine same dimensions same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S345	2	"20030018542".pn. and (specification near3 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S346	0	(compare near3 test near3 data) same (machine near3 object) same rank same assign	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S347	0	"20040117399".pn. and means	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S348	1	"6983232".pn. and ((cost or expense) same time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S349	2	"5465288".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27
S350	2	"6144849".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 10:27

6/ 5/ 2009 11:40:58 AM

C:\Documents and Settings\pdarno\My Documents\ EAST\ Workspaces\ App No - 10643815
\ search 06-05-2009.wsp